

## CONSTRUCTION PRODUCTS REGULATION DECLARATION OF PERFORMANCE

**No: MS11005 MS-11 RAPID HIGH TACK**

1. Identification Code	MS11005 Arc MS-11 Rapid High Tack
2. Type, Batch and/or Serial Number	See packaging for batch number & production date
3. Intended Use	Product: sealant for façade elements Intended use: sealant for interior applications Intended use: sealant for exterior applications
4. Manufacturer	Arc Building Products, Units 27-29 Gorey Business Park, Ramstown, Gorey, Co. Wexford, Ireland
5. Authorised Representative	Not applicable
6. Assessment and Verification of Constancy or Performance	System of assessment (EVCP) : 3 System of assessment (EVCP) : 4 (reaction to fire)
7. Notified Body	TECNALIA NB 1292
8. European Technical Assessment	Not applicable


FDM Arc Manufacturing Ltd. T/A Arc Building Products,

Units 27-29 Gorey Business Park, Ramstown, Gorey, Co. Wexford, Ireland.

**Tel:** +353 (0)53 948 3788 **Fax:** +353 (0)53 948 3796 **Email:** sales@arcbuildingproducts.ie

Company Registration Number: 423112. VAT Number: 9570872V.

Directors: M. Nolan, F. Simpson, D. Orr, C. Vickers




Product: sealant for facade elements.  
Intended use : sealant for exterior applications.


9. Declared Performance	EN 15651-1:2012
<b>ESSENTIAL CHARACTERISTICS</b>	<b>PERFORMANCE</b>
Reaction to Fire	Class F
Dangerous Substances	See MSDS
Resistance to Flow	≤ 3mm
Loss of Volume	≤ 10%
Tensile properties: at maintained extension after water immersion at 23 °C (plastic)	≥ 25%
Durability	Pass


Product: sealant for facade elements.  
Intended use : sealant for interior applications


9. Declared Performance	EN 15651-1:2012
<b>ESSENTIAL CHARACTERISTICS</b>	<b>PERFORMANCE</b>
Reaction to Fire	Class F
Dangerous Substances	See MSDS
Resistance to Flow	≤ 5mm
Loss of Volume	≤ 45%
Tensile properties: at maintained extension after water immersion at 23 °C (plastic)	≥ 25%
Durability	Pass



The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. The declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

  
\_\_\_\_\_  
David Orr

  
\_\_\_\_\_  
Place

  
\_\_\_\_\_  
Date